

## 國家標準公告目錄

制定國家  
標準目錄

總號	類號	標準名稱
3765-39	C4125-39	家用和類似用途電器—安全性—第2-39部：商用電動多用途烹飪鍋之個別規定 Household and similar electrical appliances - Safety - Part 2-39: Particular requirements for commercial electric multi-purpose cooking pans
4394-1	K6421-1	塑膠—熱塑性塑膠射出成型試片—第1部：通則及模製多用途與棒形試片 Plastics - Injection moulding of test specimens of thermoplastic materials - Part 1: General principles, and moulding of multipurpose and bar test specimens
4394-2	K6421-2	塑膠—熱塑性塑膠射出成型試片—第2部：小型拉伸試驗棒 Plastics - Injection moulding of test specimens of thermoplastic materials - Part 2: Small tensile bars
4394-3	K6421-3	塑膠—熱塑性塑膠射出成型試片—第3部：小型試驗板 Plastics - Injection moulding of test specimens of thermoplastic materials - Part 3: Small plates
4394-4	K6421-4	塑膠—熱塑性塑膠射出成型試片—第4部：模製收縮率之測定 Plastics - Injection moulding of test specimens of thermoplastic materials - Part 4: Determination of moulding shrinkage
4394-5	K6421-5	塑膠—熱塑性塑膠射出成型試片—第5部：研究異向性標準試片之製備 Plastics - Injection moulding of test specimens of thermoplastic materials - Part 5: Preparation of standard specimens for investigating anisotropy
15200-7-1	K61152-7-1	塗料一般試驗法—第7-1部：塗膜之長期性能—耐鹽水噴霧 Methods of test for paints - Part 7-1: Long-period performance of film - Resistance to neutral salt spray
15200-7-2	K61152-7-2	塗料一般試驗法—第7-2部：塗膜之長期性能—耐濕性(持續性水冷凝) Methods of test for paints - Part 7-2: Long-period performance of film - Resistance to humidity (Continuous condensation)

		塗料一般試驗法—第7-3部:塗膜之長期性能—耐濕性(間歇性水冷凝)
15200-7-3	K61152-7-3	Methods of test for paints - Part 7-3: Long-period performance of film - Resistance to humidity (Intermittent condensation)
		塗料一般試驗法—第7-4部:塗膜之長期性能—耐濕冷熱循環試驗
15200-7-4	K61152-7-4	Methods of test for paints - Part 7-4: Long-period performance of film - Humidity and cool-heat cycling test
		塗料一般試驗法—第7-5部:塗膜之長期性能—室外暴露耐候性
15200-7-5	K61152-7-5	Methods of test for paints - Part 7-5: Long-period performance of film - Natural weathering
		塗料一般試驗法—第7-6部:塗膜之長期性能—人工耐候性及人工輻射暴露(濾過的氙弧輻射暴露)
15200-7-6	K61152-7-6	Methods of test for paints - Part 7-6: Long-period performance of film - Artificial weathering and exposure to artificial radiation (Exposure to filtered xenon-arc radiation)
		塗料一般試驗法—第7-7部:塗膜之長期性能—加速耐候性(紫外線螢光燈及水)
15200-7-7	K61152-7-7	Methods of test for paints - Part 7-7: Long-term performance of film - Accelerated weathering (Exposure to fluorescent UV lamps and water)
		塗料一般試驗法—第7-8部:塗膜之長期性能—耐循環腐蝕試驗法—鹽水噴霧/乾燥/濕潤
15200-7-8	K61152-7-8	Methods of test for paints - Part 7-8: Long-term performance of film - Determination of resistance to cyclic corrosion conditions - Salt fog/dry/humidity
		塗料一般試驗法—第8-1部:塗膜劣化評估—一般原則及等級
15200-8-1	K61152-8-1	Methods of test for paints - Part 8-1: Evaluation of degradation of paint coatings - General principles and rating schemes
		塗料一般試驗法—第8-2部:塗膜劣化評估—起泡等級
15200-8-2	K61152-8-2	Methods of test for paints - Part 8-2: Evaluation of degradation of paint coatings - Designation of degree of blistering
		塗料一般試驗法—第8-3部:塗膜劣化評估—銹蝕等級
15200-8-3	K61152-8-3	Methods of test for paints - Part 8-3: Evaluation of degradation of paint coatings - Designation of degree of rusting

15200-8-4	K61152-8-4	塗料一般試驗法—第8-4部:塗膜劣化評估—龜裂等級 Methods of test for paints - Part 8-4: Evaluation of degradation of paint coatings - Designation of degree of cracking
15200-8-5	K61152-8-5	塗料一般試驗法—第8-5部:塗膜劣化評估—片狀剝落 Methods of test for paints - Part 8-5: Evaluation of degradation of paint coatings - Designation of degree of flaking
15200-8-6	K61152-8-6	塗料一般試驗法—第8-6部:塗膜劣化評估—粉化等級(黏膠帶法) Methods of test for paints - Part 8-6: Evaluation of degradation of paint coatings - Rating of degree of chalking (tape method)
15605-1	K61182-1	塑膠—受負荷下之撓曲溫度測定法—第1部:一般試驗法 Plastics - Determination of temperature of deflection under load - Part 1: General test method
15605-2	K61182-2	塑膠—受負荷下之撓曲溫度測定法—第2部:塑膠與硬橡膠 Plastics - Determination of temperature of deflection under load - Part 2: Plastics and ebonite
15605-3	K61182-3	塑膠—受負荷下之撓曲溫度測定法—第3部:高強度熱固性積層板與長纖維強化塑膠 Plastics - Determination of temperature of deflection under load - Part 3: High-strength thermosetting laminates and long-fibre-reinforced plastics
15606-1	K61183-1	塑膠—抗拉性能測定法—第1部:通則 Plastics - Determination of tensile properties - Part 1: General principles
15606-2	K61183-2	塑膠—抗拉性能測定法—第2部:模製與押出塑膠品之試驗條件 Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics
15606-3	K61183-3	塑膠—抗拉性能測定法—第3部:膜與片之試驗條件 Plastics - Determination of tensile properties - Part 3: Test conditions for films and sheets
15606-4	K61183-4	塑膠—抗拉性能測定法—第4部:同向與正交異向性纖維強化塑膠複合材料之試驗條件 Plastics - Determination of tensile properties - Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites

		塑膠－抗拉性能測定法－第5部：單向纖維強化塑膠複合材料之試驗條件
15606-5	K61183-5	Plastics - Determination of tensile properties - Part 5: Test conditions for unidirectional fibre-reinforced plastic composites
		塑膠－試片線性尺度測定法
15607	K61184	Plastics - Determination of linear dimensions of test specimens
		塑膠－熱固性塑膠壓縮成型試片
15608	K61185	Plastics - Compression moulding of test specimens of thermosetting materials
		熱塑性塑膠管與管件－衛氏軟化溫度－第1部：一般試驗法
15609-1	K61186-1	Thermoplastics pipes and fittings - Vicat softening temperature - Part 1: General test method
		熱塑性塑膠管與管件－衛氏軟化溫度－第2部：未塑化或氯化聚氣乙烯管與管件及高耐衝擊聚氣乙烯管之試驗條件
15609-2	K61186-2	Thermoplastics pipes and fittings - Vicat softening temperature - Part 2: Test conditions for unplasticized poly (vinyl chloride) (PVC-U) or chlorinated poly (vinyl chloride) (PVC-C) pipes and fittings and for high impact resistance poly (vinyl chloride) (PVC-HI) pipes
		熱塑性塑膠管與管件－衛氏軟化溫度－第3部：丙烯腈-丁二烯-苯乙烯及丙烯腈-苯乙烯-丙烯酸酯管與管件之試驗條件
15609-3	K61186-3	Thermoplastics pipes and fittings - Vicat softening temperature - Part 3: Test conditions for acrylonitrile/butadiene/styrene (ABS) and acrylonitrile/styrene/acrylic ester (ASA) pipes and fittings
		塑膠－含水量測定法
15611	K61188	Plastics - Determination of water content
		塑膠－吸水率測定法
15612	K61189	Plastics - Determination of water absorption
		塑膠－折射率測定法
15613	K61190	Plastics - Determination of refractive index
		資訊技術－安全技術－資訊安全管理系統－概觀及詞彙
27000	X6101	Information technology - Security techniques - Information security management systems - Overview and vocabulary

27004 X6103 資訊技術—安全技術—資訊安全管理—量測  
Information technology - Security techniques -  
Information security management - Measurement

修訂國家  
標準目錄

總號	類號	標準名稱
4393	K6420	塑膠—熱塑性塑膠—衛氏軟化溫度測定法 Plastics - Thermoplastic materials - Determination of Vicat softening temperature (VST)
4395	K6422	塑膠—熱塑性塑膠壓縮成型試片 Plastics - Compression moulding of test specimens of thermoplastic materials
5342	K6459	塑膠—塑膠品中塑化劑遷移性測定法 Plastics - Determination of migration of plasticizers in plastics
5343	K6460	塑膠—塑膠品中塑化劑損耗測定法—活性碳法 Plastics - Determination of loss of plasticizers in plastics - Activated carbon method
2828	Z7023	塑膠—狀態調節及試驗之標準大氣狀態 Plastics - Standard atmospheres for conditioning and testing

廢止國家  
標準目錄

總號	類號	標準名稱
4394	K6421	熱塑性塑膠射出成型法製備之試樣 (→CNS 4394-1、CNS 4394-2、CNS 4394-3、CNS 4394-4、CNS 4394-5) Injection moulding test specimens of thermoplastic material
12779	K6978	玻璃纖維強化塑膠之抗拉性能測定法 (→CNS 15606-1、CNS 15606-2、CNS 15606-3、CNS 15606-4、 CNS 15606-5) Method of test for tensile properties of glass fiber reinforced plastics

註：正字標記品目

